

FIG. 1

09746179-050901




FIG. 2

094619-050901




FIG. 3

09746179-050901

RESPONSE  
TIME  
ROUTINE




FIG. 4

09746179.050901




FIG. 5

09746179-05001




FIG. 6

END9 2000 0184 US1  
7/9

ROW	A PING DELTA	B SAMPLE
6	0	1
7	0.00092	2
8	0.00097	3
9	0.00191	4
10	0.00347	5
11	0.00452	6
12	0.00536	7
13	0.00632	8
14	0.00729	9
15	0.01133	10
16	0.00421	Tw
17	0.00333	σTw

J
383000
61476
3.1150368
0.0013513
0.0033311

OBSERVED LINE SPEED  
OBSERVED DISCRETE SPEED  
HOP COUNT (TWO WAY)  
OBSERVED Tw FOR HOP COUNT  
OBSERVED σTw

	A	B	C	D	E	F	G
25	0.33	0.34	0.35	0.36	0.37	0.38	0.39
26	0.985	1.030	1.077	1.125	1.175	1.226	1.279
27	0.316	0.331	0.346	0.361	0.377	0.394	0.410
28	0.24	0.25	0.26	0.27	0.27	0.28	0.29
29	0.369	0.377	0.384	0.391	0.398	0.405	0.413
30	0.406	0.406	0.406	0.406	0.406	0.406	0.406

MAXU  
MAX M  
MIN M  
MIN U  
RATIO 1  
RATIO 2

32	0.33
33	0.0013513
34	0.495
35	383000
36	1045

DISCRETE UTILIZATION (AVERAGE)  
Tw  
MESSAGES ON QUEUE  
SPEED THIS HOP  
NETWORK AVERAGE MESSAGE SIZE

FIG.7

FORM 50-62797-60




FIG. 8A

09746179.050901



END 9 2000 0104 USL  
9/9




FIG. 8B

09746179.050901